

Miele

Professional dishwashers
for outstanding performance and spotless results

Miele Professional. Immer Besser.



Commercial dishwashers



ProfiLine series:	PG 8130	PG 8130 i*
Capacity [max. cycles per day]	5	5
Shortest programme cycle [mins.]	29	29
Programmes	8	8
External dimensions H/W/D [mm]	845/598/600	805/598/570
Water connections	CW or HW, max. 60°C	CW or HW, max. 60°C
Integrated water softener, max. 36°C	•	•
Electrical connection 15 amp 230 V, 50 Hz (convertible to 10 amp)	•	•
Total rated load [kW]	3.1	3.1
Max. final rinse temperature [°C]	82	82
Supplied with/Front colour/Side panel	With lid/white/white	Without lid/CleanSteel/galvanised

PG 8130, PG 8130 i

- Entry-line model for office kitchens, showrooms, clubhouses

Plus

- Short programme cycles
- Standard with baskets
- High-level user convenience through wide range of product features
- Integrated water softener and connection for liquid dispensing
- Model version as integrated unit for installation in kitchen cabinetry



PG 8059 commercial freshwater dishwasher



HYGIENE



BRILLIANT



SPEED

Riedel recommends Miele Professional dishwashers



SPEED

The fastest commercial dishwashers using the fresh water circulation system.

The technical approach on Miele dishwashers combines speed, efficiency, performance and cost-effectiveness in a most unique way.

- Ideal for hotels, restaurants, clubs and schools
- Shortest programme cycle 5 minutes
- Two rack levels for maximum capacity
- Up to 456 plates in lower basket and further items of crockery and cutlery in upper basket



HYGIENE

Reprocessing using the best available cleaning system for uncompromising crockery hygiene.

With special hygiene programmes, Miele's new commercial dishwashers meet the strictest of hygiene requirements.

- For exceptionally high standards of hygiene in hospitals, aged care facilities and kindergartens
- Final rinse temperatures of up to 85°C
- Miele's fresh water circulation system is recommended by the wfk Institute



BRILLIANT

The dishwasher for a sparkling finish without manual polishing.

Miele's unique fresh water system combines thorough cleaning with perfect gentle care.

- The specialist for cleaning glassware and cutlery
- Perfect cleaning and protection of glassware by ensuring the ideal water hardness in all glassware programmes
- Aerosol steam condenser and AutoOpen drying
- Riedel recommends Miele Professional dishwashers

PG 8059 commercial freshwater dishwasher

The wfk Institute recommends Miele's fresh water circulation system to achieve the highest possible standards of hygiene!



Dishwasher model	PG 8059
Theoretical capacity [plates/h]	456/24
Shortest programme cycle [mins.]	5
Programmes	13
External dimensions H/W/D [mm]	820–880/600/600
Water connections	CW and HW, max. 65°C
Aerosol steam condenser	•
Integrated water softener, max. 60°C	•
Electrical connection 30 amp 230 V, 50 Hz or 3N AC 400 V, 50 Hz	•
Total rated load [kW]	5.9
Max. final rinse temperature [°C]	85

PG 8059 All-rounder

- For aged care facilities, hospitals, kindergartens, restaurants and similar businesses
- Fresh water system for top-class cleaning and hygiene

Plus

- Standard temperature of 85°C in final rinse
- Integrated water softener, steam condenser and connection for liquid dispensing
- Use of plastic baskets possible on two levels together with optional stainless-steel supports
- Can be built under

Commercial tank dishwasher



Commercial tank model	PG 8166
Theoretical capacity [baskets/h]	66
Shortest programme cycle [seconds]	55
Max. water circulation capacity: [l/min]	200
Standard and additional programmes	3 + 4
Integrated tanks for detergent and rinse aid (DOS)	Optional
Integrated water softening (WES)	Optional
External dimensions H/W/D [mm] incl. height-adjustable feet, without detergent tanks	820-855/600/617
Basket dimensions [mm]	500 x 500/500 x 530
Water connection	CW or HW, max. 60°C
Total rated load (3-phase/1-phase) [kW]	7.9/3.2

PG 8166 tank dishwasher

- Versatile, multi-purpose tank dishwasher

Plus

- Shortest cycle: 55 seconds
- Max. theoretical capacity: 1188 plates/h
- Internal dispenser pumps and siphons for dispensing detergent and rinse aid stored externally
- Optional: BASIC version without dispensing equipment
- Load-specific programmes
- Freestanding unit with lid, can be built under



Miele Australia Pty Ltd
1 Gilbert Park Drive
Knoxfield VIC 3180

Tel: 1300 731 411

Miele New Zealand Limited
8 College Hill, Freemans Bay
Auckland 1060

Tel: 0800 464 353

info@miele-professional.com.au
www.miele.com.au/professional

Forever Better

Since 1899, Miele - a family-run company - has subscribed to a clear corporate philosophy condensed into the two words 'Forever better'. This overarching claim is the foundation of Miele's proverbial quality and sustainability and the power of innovation of a brand 'Made in Germany'. A brand promise which gives commercial users the certainty of having chosen the right product.

Award-winning

Uncompromising product reliability and service dependability is the reason why customers have repeatedly voted Miele the best and most trustworthy brand. Coveted awards such as the MX Award, the iF and reddot Design Awards and the German Sustainability Prize confirm the distinguished position Miele enjoys with respect to design, quality management and the sparing use of resources.

Proficient

Miele Professional has been developing and manufacturing a broad range of high-quality laundry machines, dishwashers and lab washers for decades. Carefully selected accessories, comprehensive advisory services and a Miele factory service operation which guarantees a fast response and ensures that machines perform to perfection and offer the ultimate in performance and efficiency.