

Miele

Once a Miele,
Always a Miele.



Cooking and Refrigeration Appliances
Price List, Australia.

Effective 07.04.2026

Cooking

Ovens - 60 cm wide

Item no.	Product	Description	AUD
12422640	H 2457 B OBSW	Built-in oven with timer, 7 segment display with retractable dial, 76 l capacity, Multiple oven functions; Defrost, Fan Plus, Intensive Bake, 30-280°C temperature range, 1x FlexiClip runners, 2x PerfectClean trays	2,299
12422650	H 2457 BP OBSW	Built-in oven with timer, 7 segment display with retractable dial, 76 l capacity, Multiple oven functions; Defrost, Fan Plus, Intensive Bake, 30-280°C temperature range, Pyrolytic cleaning, 1x FlexiClip runners, 2x PerfectClean tray	2,799
12174510	H 2861 B PureLine CleanSteel	EasyControl Plus controls, Timer with clock, 8 functions, Automatic programmes, AirFry, 76 l capacity, Wi-Fi enabled with Miele@home	2,999
12174530	H 2861 BP PureLine CleanSteel	EasyControl Plus controls, Timer with clock, 8 functions, Automatic programmes, AirFry, Pyrolytic cleaning, 76 l capacity, Wi-Fi enabled with Miele@home	3,499
12174490	H 2861 BP VitroLine Obsidian Black	Colour variants:	3,499
12174500	H 2861 BP VitroLine Graphite Grey		3,499
11128380	H 7260 BP PureLine CleanSteel	Full-touch DirectSensor S controls, 9 functions, 76 l capacity, 3 pyrolytic cleaning programmes, 25 Automatic Programmes, Automatic Programmes, 1 pair of FlexiClip telescopic runners, 2 PerfectClean trays	4,299
11128420	H 7264 BP PureLine CleanSteel	Full-touch DirectSensor S controls, 11 functions incl MoisturePlus, 76 l capacity, 3 pyrolytic cleaning programmes, Miele@home, Automatic Programmes, 1 pair of FlexiClip telescopic runners, 2 PerfectClean trays	5,699
11128400		Colour variants:	5,699
11128410		H 7264 BP VitroLine Obsidian Black	5,699
		H 7264 BP VitroLine Graphite Grey	5,699
11128470	H 7464 BP PureLine CleanSteel	Full-touch DirectSensor controls, 14 functions incl MoisturePlus, 76 l capacity, 3 Pyrolytic cleaning programmes, Miele@home, Automatic Programmes, Food probe, TasteControl	6,999
11128450		Colour variants:	6,999
11128460		H 7464 BP VitroLine Obsidian Black	6,999
12821510		H 7464 BP VitroLine Graphite Grey	6,999
		H 7464 BP VitroLine Pearl Beige	6,999
11128490	H 7464 BPX ArtLine Obsidian Black	Handleless design, Full-touch DirectSensor controls, 14 functions incl MoisturePlus, 76 l capacity, 3 Pyrolytic cleaning programmes, Miele@home, Automatic Programmes, Food probe, TasteControl	6,999
11128500		Colour variant:	6,999
		H 7464 BPX ArtLine Graphite Grey	6,999

Cooking

Ovens - 60 cm wide (continued)

Item no.	Product	Description	AUD
11128540	H 7660 BP PureLine CleanSteel	M Touch S controls, 17 functions incl MoisturePlus, 76 l capacity, 3 pyrolytic cleaning programmes, Miele@home, Automatic Programmes, Food probe, TasteControl, MotionReact Colour variants:	7,999
11128520		H 7660 BP VitroLine Obsidian Black	7,999
11128530		H 7660 BP VitroLine Graphite Grey	7,999
11128580	H 7860 BP PureLine CleanSteel	Glass inlay handle, M Touch controls, 17 functions incl MoisturePlus, 76 l capacity, 3 pyrolytic cleaning programmes, Miele@home, SuperVision, Automatic Programmes, Wireless Food probe, FoodView, TasteControl, MotionReact Colour variants:	9,999
11128560		H 7860 BP VitroLine Obsidian Black	9,999
11128570		H 7860 BP VitroLine Graphite Grey	9,999
11128600	H 7860 BPX ArtLine Obsidian Black	Handleless design, M Touch controls, 17 functions incl MoisturePlus, 76 l capacity, 3 pyrolytic cleaning programmes, Miele@home, SuperVision, Automatic Programmes, Wireless Food probe, FoodView, TasteControl, MotionReact Colour variants:	9,999
11128610		H 7860 BPX ArtLine Graphite Grey	9,999
12326420		H 7860 BPX ArtLine Matte Black	9,999
12802200		H 7860 BPX ArtLine Pearl Beige	9,999

Ovens - 90 cm wide

11127820	H 2890 B PureLine CleanSteel	EasyControl with retractable dials, clock with sensor-touch controls, 8 functions, 90 l capacity, 3 rack levels, TwinPower system, SoftOpen, SoftClose, PerfectClean cavity, 2 PerfectClean trays	9,499
11127830	H 7890 BP PureLine CleanSteel	M Touch controls, 17 functions incl MoisturePlus, 90 l capacity, TwinPower system, 3 pyrolytic cleaning programmes, Miele@home, SuperVision	18,699

Oven accessories

10314270	HUB 5001-M	Medium Gourmet oven dish, induction compatible, suits H 2000 / H 6000 / H 7000 appliances with 76 l oven capacity and DGC 7000 Combi steam ovens with 48 l oven capacity (save \$100 when purchased with oven)	508
10314250	HUB 5000-M	Medium Gourmet oven dish, suits 76 l capacity ovens (save \$100 when purchased with oven)	508
10314310	HUB 5001-XL	Large casserole oven dish, suits 76 l capacity ovens (save \$100 when purchased with oven)	738
09520650	HFC 70	1 pair chrome FlexiClip fully telescopic runners, suits 60 cm wide 76 l capacity ovens and Generation 6000 and Generation 7000 Combi steam ovens (save \$100 when purchased with oven)	406
09520660	HFC 71	1 pair PerfectClean FlexiClip fully telescopic runners, suits 60 cm wide 76 l capacity ovens and Generation 6000 and Generation 7000 Combi steam ovens (save \$100 when purchased with oven)	470
09520670	HFC 72	1 pair PyroFit FlexiClip fully telescopic runners, suits 60 cm wide 76 l capacity Pyrolytic ovens (save \$100 when purchased with oven)	524
05136950	HBD 60-22	Stainless steel lid for medium Gourmet oven dish, suits HUB 61-22 and HUB 5000 M	212
05136960	HBD 60-35	Stainless steel lid for large Gourmet oven dish, suits HUB 61-35 and HUB 5000 XL	246
05165170	HKL 60	Black décor strip, 60 cm wide, suits installation of microwave, Speed, Steam or Steam combination oven above 60 cm wide H 6000 series oven	80
11344390	HAL 90	90 cm Obsidian Black spacer bar, required for underbench installation of H 2890 B and H 7890 BP	219
11345870	DS 7003	Set of 3 x CleanSteel H 7000 series oven handles, for installation to kitchen cabinet doors or other furniture	300
09520710	HFC 92	1 pair PyroFit FlexiClip fully telescopic runners, suits 90 cm wide H 6000 and H 7000 series ovens (save \$100 when purchased with oven)	529

Cooking

Speed ovens - 60 cm wide - 45 cm high

Item no.	Product	Description	AUD
11128190	H 7240 BM PureLine CleanSteel	DirectSensor S controls, 11 functions incl 1000 W microwave, 43 l capacity, Automatic programmes, Popcorn function, Miele@home Colour variant:	3,999
11128170		H 7240 BM VitroLine Obsidian Black	3,999
11128230	H 7440 BM PureLine CleanSteel	Full-touch DirectSensor controls, 11 functions incl 1000 W microwave, 43 l capacity, Miele@home, PerfectClean interior, Automatic Programmes, Popcorn function Colour variants:	5,999
11128210		H 7440 BM VitroLine Obsidian Black	5,999
11128220		H 7440 BM VitroLine Graphite Grey	5,999
12821530		H 7440 BM VitroLine Pearl Beige	5,999
11128270	H 7440 BMX ArtLine Obsidian Black	Handleless design, Full-touch DirectSensor controls, 11 functions incl 1000 W microwave, 43 l capacity, Miele@home, PerfectClean interior, Automatic Programmes, Popcorn function, Touch2Open Colour variant:	5,999
11128280		H 7440 BMX ArtLine Graphite Grey	5,999
11128320	H 7840 BM PureLine CleanSteel	M Touch controls, 15 functions incl 1000 W microwave, 43 l capacity, Miele@home, PerfectClean interior, Automatic Programmes, Popcorn function, Food Probe, MotionReact Colour variants:	7,999
11128300		H 7840 BM VitroLine Obsidian Black	7,999
11128310		H 7840 BM VitroLine Graphite Grey	7,999
11128340	H 7840 BMX ArtLine Obsidian Black	Handleless design, M Touch controls, 15 functions incl 1000 W microwave, 43 l capacity, Miele@home, PerfectClean interior, Automatic Programmes, Popcorn function, Food Probe, MotionReact, Touch2Open Colour variants:	7,999
11128350		H 7840 BMX ArtLine Graphite Grey	7,999
12326410		H 7840 BMX ArtLine Matte Black	7,999
12802190		H 7840 BMX ArtLine Pearl Beige	7,999

Steam ovens

11135390	DG 2840 PureLine CleanSteel	EasySensor touch controls with LCD, 4 functions, 40 l capacity, DualSteam, External steam generator Colour variants:	3,999
11135350		DG 2840 VitroLine Obsidian Black	3,999
11135380		DG 2840 VitroLine Graphite Grey	3,999
11135430	DG 7440 PureLine CleanSteel	Full-touch DirectSensor controls, 5 functions, 40 l capacity, DualSteam, External steam generator, Miele@home Colour variant:	4,999
11135410		DG 7440 VitroLine Obsidian Black	4,999

Cooking

Combi steam ovens - 2-in-1 - 60 cm high

Item no.	Product	Description	AUD
12086520	DGC 7250 PureLine CleanSteel	2-in-1 appliance: Oven, Steam oven, MonoSteam, Full-touch DirectSensor controls, 76 l capacity, Miele@home, Automatic programmes, Moisture Plus, TasteControl	3,999
11819160	DGC 7450 VitroLine CleanSteel	2-in-1 appliance: Oven, Steam oven, MonoSteam, Full-touch DirectSensor controls, 76 l capacity, Miele@home, Automatic programmes, Moisture Plus, TasteControl	4,999
11819120		Colour variant: DGC 7450 VitroLine Obsidian Black	4,999

Combi steam ovens - 3-in-1 - 45 cm high

12087200	DGC 7440 HC Pro CleanSteel	Full-touch DirectSensor controls, 21 functions, 47 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven, HydroClean, Automatic programmes, Miele@home	6,999
12086870		Colour variant: DGC 7440 HC Pro Obsidian Black	6,999
12820830		DGC 7440 HC Pro Pearl Beige	6,999
12087320	DGC 7440 HCX Pro Obsidian Black	Handleless design, Full-touch DirectSensor controls, 21 functions, 47 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven Miele@home, HydroClean, Automatic programmes	6,999
12087340		Colour variant: DGC 7440 HCX Pro ArtLine Graphite Grey	6,999
12087560	DGC 7840 HC Pro PureLine CleanSteel	M Touch controls, 21 functions, 47 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven, Miele@home, Automatic programmes, Wireless food probe, MotionReact, HydroClean	9,999
12087530		Colour variants: DGC 7840 HC Pro VitroLine Obsidian Black	9,999
12087550		DGC 7840 HC Pro VitroLine Graphite Grey	9,999
12087620	DGC 7840 HCX Pro ArtLine Obsidian Black	Handleless design, M Touch controls, 21 functions, 47 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven Miele@home, Automatic programmes, Wireless food probe, MotionReact, HydroClean	9,999
12087670		Colour variant: DGC 7840 HCX Pro ArtLine Graphite Grey	9,999
12087800	DGC 7845 HC Pro PureLine CleanSteel	M Touch controls, 21 functions, 47 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven Miele@home, Automatic programmes, Wireless food probe, MotionReact, HydroClean, Plumbed in	10,999
12087700		Colour variant: DGC 7845 HC Pro VitroLine Obsidian Black	10,999
12087840	DGC 7845 HCX Pro ArtLine Obsidian Black	Handleless design, M Touch controls, 21 functions, 47 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven, Miele@home, Automatic programmes, Wireless food probe, MotionReact, HydroClean, Plumbed in	10,999
12087850		Colour variants: DGC 7845 HCX Pro ArtLine Graphite Grey	10,999
12326430		DGC 7845 HCX Pro ArtLine Matte Black	10,999
12802270		DGC 7845 HCX Pro ArtLine Pearl Beige	10,999

Cooking

Combi steam Pro ovens - 3-in-1 - 60 cm high

Item no.	Product	Description	AUD
12087480	DGC 7460 HC Pro PureLine CleanSteel	Full-touch DirectSensor controls, 21 functions, 67 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven, Miele@home, HydroClean, Automatic programmes Colour variants:	9,999
12087460		DGC 7460 HC Pro VitroLine Obsidian Black	9,999
12087470		DGC 7460 HC Pro VitroLine Graphite Grey	9,999
12087900	DGC 7860 HC Pro PureLine CleanSteel	M Touch controls, 21 functions, 67 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven, Miele@home, Automatic programmes, HydroClean, Wireless food probe, MotionReact Colour variants:	12,999
12087870		DGC 7860 HC Pro VitroLine Obsidian Black	12,999
12087890		DGC 7860 HC Pro VitroLine Graphite Grey	12,999
12087940	DGC 7865 HC Pro PureLine CleanSteel	M Touch controls, 21 functions, 67 l capacity, 3-in-1 appliance: Oven, Steam oven and Combination steam oven, Miele@home, Automatic programmes, HydroClean, Wireless food probe, MotionReact, Plumbed in Colour variants:	13,999
12087920		DGC 7865 HC Pro VitroLine Obsidian Black	13,999
12087930		DGC 7865 HC Pro VitroLine Graphite Grey	13,999

Steam oven with microwave

1113550	DGM 7440 PureLine CleanSteel	Full-touch DirectSensor controls, 40 l capacity, 3-in-1 appliance: Microwave (1000 W), Steam oven and Combined rapid steam cooking mode, Miele@home Colour variants:	5,999
11135480		DGM 7440 VitroLine Obsidian Black	5,999
11135490		DGM 7440 VitroLine Graphite Grey	5,999
11135560	DGM 7640 PureLine CleanSteel	M Touch S controls, 40 l capacity, 3-in-1 appliance: Microwave (1000 W), Steam oven and Combined rapid steam cooking mode, Miele@home Colour variants:	7,999
11135530		DGM 7640 VitroLine Obsidian Black	7,999
11135550		DGM 7640 VitroLine Graphite Grey	7,999

Cooking

Warming drawers

Item no.	Product	Description	AUD
11135170	ESW 7010 Obsidian Black	Handleless design with Push2Open, 14 cm tall, Touch controls, capacity for 6 complete place settings, 4 operating modes incl food-warming and slow cooking functions, Miele@home Colour variants:	2,499
11135190		ESW 7010 Graphite Grey	2,499
12326440		ESW 7010 Matte Black	2,499
12802430		ESW 7010 Pearl Beige	2,499
11135240	ESW 7020 PureLine CleanSteel	Handleless design with Push2Open, 29 cm tall, Touch controls, capacity for 12 complete place settings, 4 operating modes incl food-warming and slow cooking functions, Miele@home Colour variants:	2,999
11135210		ESW 7020 Obsidian Black	2,999
11135220		ESW 7020 Graphite Grey	2,999

Vacuum sealing drawers

11159260	EVS 7010 Obsidian Black	Handleless design with Push2Open, 14 cm tall, Touch controls, 3 vacuum-sealing settings, fully telescopic runners for easy loading and unloading	5,999
----------	------------------------------------	--	--------------

Benchtop microwave oven

09546330	M 6012 SC S/S	Benchtop microwave with grill, 26 l capacity, stainless steel cavity, 800 W Microwave, quartz grill, Automatic Programmes, 3-stage memory, left-hinged door	1,699
----------	----------------------	---	--------------

Built-in microwave ovens

11134160	M 7244 TC PureLine CleanSteel	Full touch DirectSensor S controls, 46 l capacity, 900 W microwave, 1500 W quartz grill Colour variants:	3,199
11134140		M 7244 TC VitroLine Obsidian Black	3,199
11134150		M 7244 TC VitroLine Graphite Grey	3,199

Built-in coffee machines

11165380	CVA 7440 PureLine CleanSteel	Full-touch DirectSensor controls, EasyClick milk flask, CupSensor, 24+ beverage varieties, OneTouch for Two, Miele@home Colour variants:	6,999
11165360		CVA 7440 VitroLine Obsidian Black	6,999
11165370		CVA 7440 VitroLine Graphite Grey	6,999
12792140		CVA 7440 VitroLine Pearl Beige	6,999
11165390	CVA 7840 PureLine CleanSteel	M Touch controls, CoffeeSelect - 3 separate bean containers, EasyClick milk flask, CupSensor, 24+ beverage varieties, OneTouch for Two, Miele@home	7,999
11165430	CVA 7845 PureLine CleanSteel	M Touch controls, CoffeeSelect - 3 separate bean containers, EasyClick milk flask, CupSensor, 24+ beverage varieties, OneTouch for Two, Miele@home, DirectWater Colour variants:	8,999
11165410		CVA 7845 VitroLine Obsidian Black	8,999
11165420		CVA 7845 VitroLine Graphite Grey	8,999
12388750		CVA 7845 VitroLine Matte Black	8,999
12792150		CVA 7845 VitroLine Pearl Beige	8,999

Cooking

Ceramic gas cooktops

Item no.	Product	Description	AUD
09209870	KM 3014	62.6 cm wide, 3 burners including high-output dual wok burner (17.0 MJ/h), ceramic glass with compact stainless steel frame	3,199
10939820	KM 3034-1	80.6 cm wide, 5 burners including centrally positioned high-output dual wok burner (17.0 MJ/h), ceramic glass with raised stainless steel frame	4,199
10939890	KM 3054-1	94.2 cm wide, 5 burners including off-set high-output dual wok burner (17.0 MJ/h), ceramic glass with raised stainless steel frame	4,999

Stainless steel gas cooktops

07111200	KM 2012 G	65 cm wide, 4 burners including wok burner (14.5 MJ/h), stainless steel	1,599
06540270	KM 362-1 G	58.5 cm wide, 4 burners including wok burner (14.4 MJ/h), stainless steel	1,999
09594370	KM 2312 G	60 cm wide, 3 burners including mono wok burner (15.5 MJ/h), solid metal knobs, stainless steel	2,599
09594410	KM 2334 G	77 cm wide, 5 burners including mono wok (15.5 MJ/h), solid metal knobs, stainless steel	3,199
09323230	KM 2354 G	88.8 cm wide, stainless-steel, low profile design, electro-mechanical controls, 5 burners including dual wok (16.0 MJ/h)	3,599
10940190	KM 2357-1 G	89.2 cm wide, stainless steel, low profile design for flush-mounted installation, 5 burners including dual wok (16.0 MJ/h), marble and tiled benchtops only	4,299

Gas conversion kits**

12285980	CSUG 7101	Gas conversion kit suitable for CS 7101-1
12286020	CSUG 7102	Gas conversion kit suitable for CS 7102-1
12285940	KMUG 2000	Gas conversion kit suitable for KM 2012, KM 2054
12285950	KMUG 2300	Gas conversion kit suitable for KM 2312, KM 2334, KM 2354, KM 2357-1
12285960	KMUG 3000	Gas conversion kit suitable for KM 3014, KM 3034-1, KM 3054-1
12285970	KMUG 362	Gas conversion kit suitable for KM 362-1

Ceramic HiLight cooktop

10888680	KM 6520 *	57.4 cm wide, 4 automatic HiLight cooking zones, Centred touch controls with EasySelect	1,799
----------	------------------	---	--------------

* Product available to special order only, estimated delivery time 3 months from date of order

** Special order only via online shop or spare parts

Cooking

Induction cooktops

Item no.	Product	Description	AUD
12399750	KM 7220 FL	62.0 cm wide, three cooking zones, with 15A mains plug for easy installation	1,999
12399760	KM 7360 FL	62.0 cm wide, three cooking zones, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	2,299
12399780	KM 7363 FL	62.0 cm wide, four cooking zones with 1 flex zone, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	2,699
12399790	KM 7373 FL	80.0 cm wide, four cooking zones with 1 flex zone, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	3,499
11230350	KM 7464 FL	62.0 cm wide, four-zone PowerFlex Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	3,299
11230370	KM 7564 FL	62.0 cm wide, four-zone dual PowerFlex Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	4,499
11230380	KM 7574 FL	80.0 cm wide, four-zone PowerFlex Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	4,599
12187600	KM 7575-2 FL	80.0 cm wide, six-zone triple PowerFlex Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	5,699
12527320	KM 7576-2 FL Matte Black	80.0 cm wide, six-zones incl 3 high power Flex zones, Matte Finish surface with anti-fingerprint, Frameless design for flush proud benchtop installation	6,199
12187610	KM 7678-2 FL	80.0 cm wide, full-surface Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	6,999
11230310	KM 7684 FL	91.6 cm wide, four-zone panoramic design PowerFlex Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	5,299
12187590	KM 7594-2 FL	93.6 cm wide, five-zone dual PowerFlex Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	6,999
12187620	KM 7897-2 FL Diamond	93.6 cm wide, full-surface Induction cooktop with diamond finish coating. TwinBoost, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home	8,999
11554200	KM 7679 FL	80.0 cm wide, induction cooktop, four cooking zones incl. TempControl zone, PowerFlex, TwinBooster, CookAssist app feature, Con@ctivity-enabled, Miele@home	6,199
12187650	KM 7899-2 FL	93.6 cm wide, induction cooktop, five cooking zones incl. TempControl zone, PowerFlex, TwinBooster, CookAssist app feature, Con@ctivity-enabled, Miele@home	7,999
11230260	KM 7999 FL	93.6 cm wide, induction cooktop, five TempControl cooking zones incl. PowerFlex Plus, 7" multi-colour touch display operation with Stop&Go and timers, built-in assistance programmes, Con@ctivity-enabled, Miele@home	11,999

Induction cooktop accessories

10009310	GGRP	Gourmet griddle plate for a unique grilling experience on Miele induction cooktops. Ideal for cooktops with PowerFlex. High-quality non-stick coating. Not suitable for gas and electric cooktops	572
11555900	KMTY	Gourmet Tepan Yaki multi-layer stainless-steel plate for preparing light and healthy dishes, ideal for Miele cooktops with PowerFlex and full-surface induction. Not suitable for gas or electric cooktops	620
11945190	KMTS 5704-2	Fiskars All Steel cookware starter set - is ideal for professional home chefs who appreciate the best tools in the kitchen. Set of 4 pans with satin finish exclusively made for Miele Contents: • Frying pan Ø 28 cm • Saucepan Ø 16 cm, capacity: 1.5 l • Casserole pan Ø 18 cm, capacity 2.5 l • Casserole pan Ø 20 cm, capacity 4.0 l Perfect on Miele induction cooktops. Also suitable for conventional electric and gas cooktops Purchase with any induction cooktop and save \$100	726

Con@ctivity 3.0: Controlling your rangehood via the cooktop below.



With Con@ctivity 3.0, your rangehood always knows exactly what to do. As soon as the cooktop is switched on or off, the rangehood responds automatically. The extraction power is automatically adjusted to what is happening on the cooktop, ensuring a pleasant room climate at all times. The appliances communicate with each other via Wi-Fi. Con@ctivity 3.0 allows you to integrate the rangehood and cooktop into Miele@home.

Cooking

Ceramic glass CombiSet cooktops

Item no.	Product	Description	AUD
11402680	CS 7101-1 FL	Gas dual wok burner, 37.8 cm wide, GasStop safety, frameless for flush or proud installation	3,199
11402690	CS 7102-1 FL	Two burner Gas cooktop, 37.8 cm wide, GasStop safety, frameless for flush or proud installation	3,399
10787010	CS 7612 FL	Induction cooktop, 37.8 cm wide, 2 cooking zones with integrated TwinBooster and food-warming function	3,399
10787050	CS 7632 FL	Tepan Yaki grill, 37.8 cm wide, stainless steel surface with 2 grill zones with separate controls	5,799
11402260	CSDA 7001	Downdraft extractor for extraction or recirculation operation	3,599

CombiSet cooktop accessories

07806500	CSAD 1400 **	Decorative and protective lid for use on 38.8 cm wide CombiSets	575
10690630	CSZL 7000	Spacer strip for installation of several CombiSets in a single cut out	114

Slimline rangehoods

11878390	DAS 2620	60 cm wide, LED lighting, air flow up to 925 m ³ /h* in booster setting, stainless steel	1,299
11878410	DAS 4620	60 cm wide, Con@activity 3.0, Miele@home, LED lighting, air flow up to 925 m ³ /h* in programmable booster setting, stainless steel	1,999
11878420	DAS 4920	90 cm wide, Con@activity 3.0, Miele@home, LED lighting, air flow up to 925 m ³ /h* in programmable booster setting, stainless steel	2,199
12569030	DAS 4920 Matte Black	90 cm wide slideout with EasySwitch controls, LED strip lighting, efficient stainless steel grease filter, airflow up to 925 m ³ /h* in booster setting, Con@activity, Miele@home	2,199
11878430	DAS 4630 ▲	60 cm wide, Con@activity 3.0, Miele@home, LED lighting, air flow up to 925 m ³ /h* in programmable booster setting, Black	2,199
11878440	DAS 4930	90 cm wide, Con@activity 3.0, Miele@home, LED lighting, air flow up to 925 m ³ /h* in programmable booster setting	2,999
11878480	DAS 8930 ▲	90 cm wide, Con@activity 3.0, Miele@home, LED lighting, air flow up to 900 m ³ /h* in programmable booster setting, stainless steel	3,499






▲ Limited stock, only available while stocks last

* Performance data tested under European Standard EN 61591 at the end of a specified ducting run


** Available to order from spare parts

Cooking




Built-in rangehoods

Item no.	Product	Description	AUD
10539540	DA 2360	60 cm wide, extra-slim design, 2 x 3 W LED lights, air flow up to 600 m ³ /h in booster setting	1,999
10539550	DA 2390	90 cm wide, extra-slim design, 4 x 3 W LED lights, air flow up to 600 m ³ /h in booster setting	2,699
12760970	DAE 1535	53 cm wide, Air flow up to 640 m ³ /h, EasySwitch electronic controls, LED strip light	1,299
10868940	DA 2578	70 cm wide, 2 x 3 W LED lights, air flow up to 785 m ³ /h* in programmable booster setting, Miele@home	 2,499
10868930	DA 2518	110 cm wide, 4 x 3 W LED lights, air flow up to 785 m ³ /h* in programmable booster setting, Miele@home	 4,199
10868970	DA 2668	60 cm wide, extra-slim design, 2 x 4.5 W LED lights, stainless steel edge extraction, air-flow up to 750 m ³ /h* in programmable booster setting, Miele@home	 3,599
10868980	DA 2698	90 cm wide, extra-slim design, 4 x 3 W LED lights, stainless steel edge extraction, air-flow up to 890 m ³ /h* in programmable booster setting, Miele@home	 3,999
10868960	DA 2628	120 cm wide, extra-slim design, 3 x 4.5 W LED lights, stainless steel edge extraction, air-flow up to 890 m ³ /h* in programmable booster setting, Miele@home, ducted installation only	 5,499

Downdraft extractor

12440730	DAD 4941	93.6 cm wide, Con@ctivity, LED lighting, air flow up to 640 m ³ /h* in booster setting, automatic run-on time, Miele@home	 5,999
12185620	DWL 80 **	New angle trim for downdraft extractors - two screws on the angle trim make it easy to adjust the height of the hob to match the downdraft extractor. Suitable for DAD 4840, DAD 4940, DAD 4941	118

Wall-mounted hoods

10539520	DA 1260 ▲	60 cm wide, stainless steel casing, 2 x 3 W LED lights, air-flow up to 545 m ³ /h in booster setting	1,299
10557440	DA 399-7 W CLASSIC	90 cm wide, stainless steel casing, 2 x 4.5 W LED lights, air-flow up to 500 m ³ /h in programmable booster setting	2,699
10456810	PUR 98 W ▲	90 cm wide, stainless steel casing, 3 x 4.5 W LED lights, air-flow up to 790 m ³ /h in programmable booster setting	3,499
10869040	DA 6698 W CleanSteel	90 cm wide slim-line design with glass, 3 x 2 W Miele high-performance LED illumination, 150 mm duct, air flow up to 880 m ³ /h, Miele@home	 5,999
10807820	DA 7198 W TRIPLE **	88 cm wide, Obsidian Black triple glass canopy, 2 x 3 LED lights, air-flow up to 700 m ³ /h in programmable booster setting, Miele@home	 4,599
10869020	DA 4228 W ▲	120 cm wide, stainless steel casing, 3 x 3 W LED lights, air flow up to 870 m ³ /h in programmable booster setting, programmable filter saturation indicator	 4,499

Wall-mounted hood accessories

06847210	DATK 1-760	Stainless steel chimney extension for DA 399-7, PUR 98 W décor hoods, 760 mm long	329
06847220	DATK 2-1000	Stainless steel chimney extension for DA 399-7, PUR 98 W décor hoods, 1000 mm long	329
12140560	DACW 1325/1455 **	Stainless steel chimney extension, ceiling height 1005-1325 mm. Suitable for PUR 98 W, DA 4228 W, DA 6698 W	550

▲ Limited stock, only available while stocks last

** Phase out model, estimated lead time 4-5 months

* Performance data tested under European Standard EN 61591 at the end of a specified ducting run

** Available to order from spare parts

Cooking

Island décor hoods

Item no.	Product	Description	AUD
10869030	DA 4248 V ▲	120 cm wide, stainless steel casing, motorised height adjustment, 4 x 3 W LED lights, air flow up to 820 m ³ /h* in programmable booster setting, Miele@home	8,899
07377410	DDB 150 **	Ceiling installation spacer, to bridge up to 300 mm of void in suspended ceilings, suitable for DA 424 V-6	319

Rangehood accessories

04623230	DAS 150	Aluminium vent hose for ducting, 60 cm long, 150 mm diameter, supplied in 5 metre pack. Suitable with all Miele rangehoods	192
11258630	DMK 150-1	Wall vent kit for extracting rangehoods, 150 mm, stainless steel grill. Suitable for all Miele rangehoods and KMDA's	359
04623200	DDF 150 **	Roof vent for extraction, for tiled roof with min 22° pitch, stainless steel casing. Suitable for all Miele rangehoods and KMDA's	576
03915292	DKS 150 **	Condensate trap, prevents condensation from re-entering rangehood canopy. Suitable for all Miele rangehoods and KMDA's	171
07294230	DUU 151 Conv. kit for air recirculation	Recirculation box for installation in cupboards, Suitable for DA 2360 / 2390 / 2450 / 2578 / 2518 / 2668 / 2698 / 2628	183
11762580	DKF 12-P Active charcoal filter	Recirculation filter- Suitable for PUR 98 W, DA 399-7, DA 6698 W	149
11762550	DKF 15-P Active charcoal filter	Recirculation filter - Suitable for DA 2450, 2450-1, 2578, 2518, 7189 W	193
11762560	DKF 19-P Active charcoal filter	Recirculation filter - Suitable for DA 2360, 2390, 2668, 2628	137
11762600	DKF 18-P Active charcoal filter	Recirculation filter - Suitable for DA 1260	137
11662790	DKF 30-P Active charcoal filter **	Recirculation filter - Suitable for DAD 4941	230
11793450	DKF 31-P Active charcoal filter	Recirculation filter - Suitable for DAS 2620, 4620, 4920, 4630, 4930	148
11793530	DKFS 31-P Active charcoal filter (Holder incl.)	Recirculation filter starter kit - Slimline	171
06264790	DUW 20 Conv. kit	Recirculation conversion kit for wall rangehood	115
11207310	DUU 1000-2 Conv. kit for air recirculation	Recirculation box for installation in plinths 10	808

Naber Compair rectangular steel ducting. Suitable for all Miele Rangehoods and KMDA's

99501354	SF-VRO 150 *	Flat duct ventilation pipe. 1000 mm length and can be shortened, connection dimensions 216 w x 83 h mm with seal. Comes with 2 SF profile seals, pre-assembled	174
99501362	SF-VRO 150 support *	Support bar for insertion into flat duct SF-VRO 150 for laying in the floor structure, 2 support bars needed for SF-VRO 150. Standing load 100 kg	67
99501356	SF-UR 150 *	Deflector 90°, suitable for flat ducts SF-VRO	120
99501357	SF-RBV 150 *	Pipe bend vertical 90°. With air deflector, suitable for flat ducts SF-VRO	82
99501358	SF-RBH 150 *	Pipe bend horizontal 90°. With air deflector, suitable for flat ducts SF-VRO	92
99501360	SF 150 *	Pipe set for downdraft ventilation. Space-saving arrangement of the exhaust pipes for extractor hoods with downdraft or downdraft ventilation, connection dimensions (222 x 89 mm) for direct connection to the ventilation system, guide direction (left / right) can be varied by repositioning, suitable for flat ducts SF-VRO	196
99501361	SF-VEST 150 *	Offset end piece. Ø 148 mm (connection dimension inside), use when connecting downdraft hoods, suitable for flat ducts SF-VRO	182
99501359	SF-RVB 150 *	Pipe connector. Connector for flat duct pipes, suitable for flat ducts SF-VRO	75
99501355	SF-EST 150 *	End piece. Transition from flat to round, suitable for flat ducts SF-VRO	87
99501405	SF-Profile Seal *	SF profile seal can be adapted to SF-VRO flat duct pipes as well as to the hood connection of the SF-150 pipe set for cooktop extractors	45
99501653	SF VBS 150 *	Pipe bend connector. 90 mm length, connecting element for two flat duct bends	67

* Product available to special order only, estimated delivery time 3 months from date of order

▲ Limited stock, only available while stocks last

* Performance data tested under European Standard EN 61591 at the end of a specified ducting run

** Available to order from spare parts

Refrigeration

Item no.	Product	Description	AUD
Freestanding refrigerators			
11949490	KS 4383 ED edt/cs	CleanSteel, 399 l total volume, DailyFresh freshness system, DynaCool, SuperCool, 6 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for FNS 4382 E edt/CS	2,999
11949580	KS 4783 ED etc/cs	CleanSteel, 399 l total volume, DailyFresh freshness system, DynaCool, SuperCool, Miele@home, 6 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for FNS 4782 E edt/CS	3,499
12431300	KS 4783 ED edt/bst	BlackSteel, 399 l total volume, DailyFresh freshness system, DynaCool, SuperCool, EasyOpen lever handle, audible door alarm, SoftClose, ComfortClean, chrome bottle rack, WiFi Conn@ct, SensorTouch electronic controls, 6 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for FNS 4782 E edt/bs	3,499
Freestanding freezers			
11953080	FNS 4382 E edt/cs	CleanSteel, 278 l total volume, NoFrost, SuperFreeze, SideOpen, 5.5 star energy rating, 185 h x 60 w cm, suitable side-by-side partner for KS 4383 ED edt/cs	2,999
11953250	FNS 4782 E edt/cs	CleanSteel, 278 l total volume, NoFrost, SuperFreeze, Miele@home, 5.5 star energy rating, 185 h x 60 w cm, suitable side-by-side partner for KS 4783 ED etc/cs	3,499
12430770	FNS 4782 E edt/bst	BlackSteel, 278 l total volume, NoFrost, SuperFreeze, EasyOpen lever handle, audible door alarm, SoftClose, ComfortClean, WiFi Conn@ct, SensorTouch electronic controls, 5.5 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for KS 4783 ED edt/bs	3,499
Freestanding fridge / freezer combination			
11949890	KFN 4375 DD edt/cs	CleanSteel, bottom mount freezer, 330 l total volume, DailyFresh freshness system, DuplexCool, DynaCool, 185 h x 60 w cm, 6 star energy rating	2,999
11954020	KFN 4776 ED edt/cs	CleanSteel, bottom mount freezer, 433 l total volume, 75 cm wide, DailyFresh freshness system, EasyOpen lever handle, DuplexCool, DynaCool, XL interior, SoftClose, NoFrost, WiFi Conn@ct, 185 h x 75 w cm, 5.5 star energy rating	3,899
Freestanding wine conditioning unit			
12443630	KWTS 4785 F ■	Black with Obsidian Black tinted, tempered glass door, 2 separate temperature zones, 5° to 20° C, 153 bottle capacity, 6 telescopic wooden shelves, ActiveHumidity, Active AirClean air filter	8,999
Built-under wine conditioning unit			
09850180	KWT 6321 UG ▲	Under bench wine model with tinted tempered glass door, 2 separate zones, 5° to 20° C, 34 bottle capacity, DynaCool, ActiveAir Clean, 3 telescopic wood shelves, KSK 6300 kits required if side-by-side placement	4,999
12690500	KWTUS 7054 F ■	Under bench single zone model with UV-resistant, tinted & insulated glass door, 5° to 20° C, 44 bottle capacity, 4 telescopic wooden shelves, ActiveHumidity, Active AirClean air filter, Wi-Fi enabled, KSKBU 7000 kits required for side-by-side placement	4,999
Wine conditioning unit accessories			
09799630	KSK 6300	Side-by-side installation kit required when installing two (or more) built-under wine conditioning units side-by-side with no gap between units	129
12770420	KSKBU 7000	Side-by-side installation kit required when installing two (or more) KWTUS 7054 F models	129
12820650	KBWBU 7000	Fixing bracket for KWTUS 7054 F for attaching a filler panel to align the height with adjacent cabinetry	89
Integrated refrigerators			
11738400	KS 7743 E	Fully integrated refrigerator, for 178 cm cabinet niche height, 294 l total volume, PerfectFresh Pro, DynaCool, SuperCool, LED lighting, ComfortClean, Miele@home, SensorTouch electronic controls, White plastic dry wall, 5.5 star energy rating, right hinged (convertible), freely combinable with any K 7000 model	3,499
11738410	KS 7793 D	Fully integrated refrigerator, for 178 cm cabinet niche height, 294 l total volume, PerfectFresh Active, DynaCool, SuperCool, FlexiLight 2.0 lighting, FlexiTray, SoftClose, ComfortClean, Miele@home, FreshTouch electronic controls, CleanSteel dry wall, 5.5 star energy rating, right hinged (convertible), freely combinable with any K 7000 model	4,999
Integrated freezers			
11738280	FNS 7740 F	Fully integrated freezer, for 178 cm cabinet niche height, 213 l total volume, SuperFreeze, NoFrost, Miele@home, SensorTouch electronic controls, 4 star energy rating, left hinged (convertible), freely combinable with any K 7000 model	3,499
11738290	FNS 7794 E	Fully integrated freezer, for 178 cm cabinet niche height, 213 l total volume, IceMaker with mains water connection, LED lighting, SuperFreeze, NoFrost, SoftClose, Miele@home, FreshTouch electronic controls, 4 star energy rating, left hinged (convertible), freely combinable with any K 7000 model	4,999

■ New model, check availability

▲ Limited stock, only available while stocks last

Refrigeration

Item no.	Product	Description	AUD
Integrated fridge / freezer combinations			
12426100	KFNS 7734 D	Fully integrated fridge / freezer, for 178 cm cabinet niche height, 253 l volume, 183 l refrigerator / 70 l freezer, SensorTouch Controls, DailyFresh DynaCool, SuperCool, SuperFreeze, LED Lighting, VarioRoom, white plastic dry wall, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model, Miele@home	3,699
11738320	KFNS 7784 D	Fully integrated fridge / freezer, for 178 cm cabinet niche height, 254 l total gross volume, 184 l refrigerator / 69 l freezer, FreshTouch Controls, DailyFresh DynaCool, SuperCool, SuperFreeze, FlexiLight 2.0, VarioRoom, SoftClose / SelfClose, FlexiTray, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model, Miele@home	5,199
11738340	KFNS 7785 D	Fully integrated fridge / freezer, for 178 cm cabinet niche height, 255 l total gross volume, 184 l refrigerator / 70 l freezer, FreshTouch Controls, DailyFresh, DynaCool, SuperCool, SuperFreeze, NoFrost, FlexiLight 2.0, VarioRoom, SoftClose / SelfClose, MyIce with water container, FlexiTray, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model, Miele@home	5,799
11738390	KFNS 7795 D	Fully integrated fridge / freezer, for 178 cm cabinet niche height, 246 l total gross volume, 175 l refrigerator / 70 l freezer, FreshTouch Controls, PerfectFresh Active, DynaCool, SuperCool, SuperFreeze, NoFrost, FlexiLight 2.0, VarioRoom, SoftClose / SelfClose, IceMaker with mains water connection, FlexiTray, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model, Miele@home	6,499
MasterCool refrigerators			
10746150	K 2601 Vi ▲	213.4 cm h x 60 cm w cabinet niche, 357 l total volume, Push2open, Pull2open, MasterFresh, BrilliantLight, Drop&Lock shelving, MasterSensor touch controls, DynaCool, 4.5 star energy rating, suitable in side-by-side combination with any MasterCool unit with the use of the KSK 2001 side-by-side installation kit, Miele@home	15,999
12253660	K 2802 Vi	213.4 cm h x 75 cm w cabinet niche, 467 l total volume, Push2open, Pull2open, MasterFresh, BrilliantLight, Drop&Lock shelving, MasterSensor touch controls, DynaCool, 4.5 star energy rating, suitable in side-by-side combination with any MasterCool unit with the use of the KSK 2001 side-by-side installation kit, Miele@home	16,999
MasterCool freezers			
10746200	F 2671 Vi ▲	For 213.4 cm cabinet niche, 304 l total volume, Push2open, Pull2open, through-the-door ice and water dispenser, BrilliantLight, Drop&Lock shelving, MasterSensor touch controls, NoFrost, 3 star energy rating, suitable in side-by-side combination with any MasterCool unit with the use of the KSK 2001 side-by-side installation kit, Miele@home	17,999
MasterCool wine conditioners			
12253670	KWT 2672 ViS	213.4 cm high cabinet niche, 91 bottle capacity, Push2open, BrilliantLight, MasterSensor touch controls, SommelierSet, 3 temperature zones, FlexiFrame, DynaCool, suitable in side-by-side combination with any MasterCool unit with the use of the KSK 2001 side-by-side installation kit, Miele@home	17,499
MasterCool accessories			
10984120	KSK 2001	Side-by-side installation kit required when installing two (or more) MasterCool units side-by-side with a gap of less than 160 mm	979
11499620	KFP 2445 ed CS *	CleanSteel panel suitable for F 2671 Vi with provision for ice and water	1,499
10982770	KFP 2404 ed CS *	CleanSteel panel suitable for K 2601 Vi	1,499
11499080	KFP 3005 ed/cs *	CleanSteel panel suitable for K 2802 Vi	1,699
11499630	KFP 2455 ed/cs *	CleanSteel panel suitable for KWT 2672 ViS	1,999

▲ Limited stock, only available while stocks last

* Product available to special order only, estimated delivery time 3 months from date of order

Miele Australia Pty. Ltd.
ACN 005 635 398
ABN 96 005 635 398

Head Office

PO Box 4084
Auburn South VIC 3122
Telephone:
1300 4 MIELE (1300 464 353)
www.miele.com.au

Miele Experience Centre Doncaster

Shop 1136/7
Westfield Doncaster
619 Doncaster Road
VIC 3108

Miele Experience Centre South Melbourne

206-210 Coventry Street
South Melbourne VIC 3205

Miele Partner Centre

509 Nepean Highway
Brighton VIC 3186

Miele Experience Centre Sydney

298 Victoria Avenue
Chatswood NSW 2067

Miele Experience Centre Bondi

Shop 5001
Westfield Bondi Junction
500 Oxford St
Bondi Junction NSW 2022

Miele Partner Centre

90-98 Victoria Rd
Drummoyne NSW 2047

Miele Experience Centre Brisbane

63 Skyring Terrace
Newstead QLD 4006

Miele Experience Centre Gold Coast

Brickworks Centre
131 Ferry Road
Southport QLD 4215

Miele Experience Centre and Office Perth

205-207 Stirling Highway
Claremont WA 6010

Miele Experience Centre Karrinyup

Level 1, Shop SP1236
Karrinyup Shopping Centre,
200 Karrinyup Rd,
Karrinyup WA 6018

Miele Experience Centre and Office Adelaide

83-85 Sir Donald Bradman Drive
Hilton SA 5033

Miele Partner Centre

620 Cross Rd
Plympton Park SA 5038

Miele Experience Centre Canberra

Level 1, Shop CF03
Canberra Centre
148 Bunda St
Canberra ACT 2601

Trading Conditions: Sales transactions are made between Miele Australia Pty. Ltd. and the end consumer.

Terms and Conditions of sale are outlined on the official GST tax invoice.

The Miele Chartered Agent acts on behalf of Miele Australia Pty. Ltd.

For further information about our products and services please visit our website: www.miele.com.au

This price list is valid throughout Australia as from 7 April 2026.

All prices quoted are in Australian Dollars, inclusive of GST. Product availability and prices are subject to change without prior notice.